rada

PRESTO®
loves water

PRESTO NEO®/ PRESTO NEO® *Sensor*

Washbasin self-closing or sensor taps



WATER EFFICIENT, DURABLE TAPS
FOR COMMERCIAL APPLICATIONS

PRESTO NEO®

WASHBASIN SELF-CLOSING TAP

BENEFITS

Vandal-proof:
A robust fastening system with anti-rotation protection ensures long-term durability.

Water savings:
the unique PRESTO patent guarantees constant timed-flow.

Intuitive understanding:
colored marker.

NF-certified products:
Tested to 500,000 cycles.

Flexibility:
easy to install thanks to deck-mounted versions (single and mixer taps) and 3 body lengths for wall-mounted applications.



Single self-closing deck-mounted tap

PRESTO NEO® RANGE

Rada code	Description
41669	65000 – Deck mounted, 15sec cold
41670	65100 – Deck mounted, 15sec hot
41671	65045 – Deck mounted, 7sec 3LPM cold
41672	65015 – Deck mounted, 7sec 3LPM hot
41673	66000 – Wall mounted, 65mm cold
41674	66100 – Wall mounted, 65mm hot
41675	66010 – Wall mounted, 95mm cold
41676	66012 – Wall mounted, 95mm hot
41677	68400 – Deck mounted mixer tap

PRESTO NEO® *Sensor*

WASHBASIN SELF-CLOSING SENSOR TAP

BENEFITS

Easy maintenance:
quick access to maintenance components (battery, solenoid valve, filter under the sink and flow straightener at the top of product).

Flexibility:
Cold or pre-mixed water. Sensor program can be adjusted via the PRESTO app. Battery or mains powered.

User-friendly design:
chrome plated surface, sleek body makes easier use and suitable for almost any washbasin.



Available for wall-mounted application

Security:
low battery alert (blinking led). The tap turns off automatically in case of power failure or sensor error.

Water saving:
1,9 l/min regulated water flow with flow straightener.

Hygiene:
No-touch, optimised infra-red detection of hand movement. Optional automated duty flush functionality.



Single deck-mounted sensor tap

ECOLABELS

PRESTO participates in the environmental building approach under the HQE (France), BREEAM (United Kingdom), LEED (Unites States) and ESTIDAMA (Middle East) ecolabels.



FOR WHICH SECTOR?

The PRESTO NEO and the PRESTO NEO *Sensor* are designed for intensive use, unsupervised facilities and locations at risk of vandalism:

- Schools
- Stations/Airports
- Service stations
- Camp sites
- Sports and leisure facilities
- Offices
- Retail
- Factories

Designed to save energy and water in public sanitary use, the new PRESTO NEO includes a full range of washbasin taps: mechanical push button or sensor timed-flow, deck-mounted or wall-mounted, mixer taps or single taps. Elegance, reliability and a sturdy construction are key marks of the NEO range. In addition, it provides great flexibility in terms of installation and easy maintenance thanks to the new body design.



PRESTO NEO® SENSOR
WALL-MOUNTED TAP

PRESTO NEO® SENSOR RANGE

Rada code	Description
41659	57034 – Deck mounted, sensor, battery powered
41660	57038 – Deck mounted, sensor, mains powered, 230 V AC / 12-24 V AC (transformer not included)
41661	57036 – Wall mounted, sensor, battery powered
41662	57040 – Wall mounted, sensor, mains powered, 230 V AC / 12-24 V AC (transformer not included)
41663	57072 – Deck mounted, sensor, timed flow, battery powered
41664	57070 – Deck mounted, sensor, timed flow, mains powered, 230 V AC / 12-24 V AC (transformer not included)
41665	57075 – Wall mounted, sensor, timed flow, battery powered
41666	57073 – Wall mounted, sensor, timed flow, mains powered, 230 V AC / 12-24 V AC (transformer not included)

Rada Controls
Kohler Mira Limited
Cromwell Road
Cheltenham
Gloucestershire
GL52 5EP

Telephone:
0344 571 1777

Email:
radacustomerservices@radacontrols.com

Web:
www.radacontrols.com

Linkedin:

Website: